

[Science and technology news](#)

- [Home](#)
- [Nanotechnology](#)
- [Physics](#)
- [Space & Earth](#)
- [Electronics](#)
- [Technology](#)
- [Chemistry](#)
- [Biology](#)
- [Medicine & Health](#)
- [Other Sciences](#)

- [Plants & Animals](#)
- [Evolution](#)
- [Ecology](#)
- [Cell & Microbiology](#)
- [Biotechnology](#)
- [Other](#)

Faithful females key to evolution of bird societies



August 19, 2010

[Enlarge](#)

The promiscuous vermilion flycatcher won't receive help from other adult birds in raising its chicks. Credit: Joe Tobias.

(PhysOrg.com) -- Females with fewer sexual partners can explain where bird species have evolved to cooperate in the rearing of their young, according to Oxford University research.

[Ads by Google](#)

[Mature dating age 50+](#) - Meet 1000s of mature singles online - free to join and send messages! - www.FiftyAlready.com

In a study of 267 bird species, the researchers found that promiscuity rates overall were three times higher among species that show no social cooperation than in species where adult birds other than the parents help in raising chicks, for example by assisting in providing food, [incubation](#) or defence. The findings are reported in the journal *Nature*.

'We found that across bird species, whether or not a species is cooperative depends upon the sex lives of females,' says Dr Ashleigh Griffin of the Department of Zoology at Oxford University, who led the research. 'The more promiscuous a female is - the more mates she has - the less help there is likely to be from the rest of the family in raising the young.'

She explains: 'When females are faithful and mate with only a single male, her [offspring](#) will be full

siblings and hence closely related to each other. This favours cooperation, because helping a close relative reproduce can be an efficient way of transmitting genes to the next generation.

‘In contrast, if a female is promiscuous and mates with multiple males, her offspring will be half [siblings](#) and so less related. In this case, young adult birds may be more likely to disperse to breed themselves, rather than stay on the nest to help mum.’

Birds show a wide range of different behaviours, with some species being highly promiscuous, such as the vermilion flycatcher, while others are almost entirely monogamous, such as white-fronted bee-eaters or pied babblers. Vermilion flycatchers don’t have any helpers at the nest while adult white-fronted bee-eaters and pied babblers that aren’t the parents will help out in raising chicks.

Even within cooperative bird species, a wide range of behaviour is seen. The white-winged chough has never been known to breed successfully without helpers while the Seychelles warbler may or may not have helpers. Here too, the research team from Oxford University and the Natural History Museum in London showed that the amount parents depend on helpers for successfully raising chicks is correlated with female faithfulness.

The researchers also put together an evolutionary tree of the 267 [bird species](#) and examined where cooperative breeding behaviours evolved from non-cooperative ancestors.

They found that these social interactions were more likely to evolve where levels of promiscuity were lower in the ancestors.

The connection between low levels of promiscuity and the evolution of social behaviour has already been shown in ants, bees, wasps, termites and shrimps, but there had previously been a number of doubts whether it would hold true for vertebrates.

The research team chose to test whether different levels of promiscuity could account for the evolution of cooperative behaviours in birds, rather than other vertebrates, because of the amount of information available in these species. But the scientists expect the rule could be true generally.

‘There is no reason why promiscuity rates couldn’t account for the distribution of social systems in mammals, including primates,’ states Dr Griffin. ‘Sex, at least in evolutionary terms, is an antisocial force.’

More information: <http://www.nature...re09335.html>

Provided by Oxford University ([news](#) : [web](#))

[Ads by Google](#)

[send feedback to editors](#)

Rate this story - 4.5 /5 (2 votes)

- rank
- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

[view popular](#)

17

Recommend

Rank Filter

2.5 Filter Off

Move the slider to adjust rank threshold, so that you can hide some of the comments.

Display comments: [newest first](#)

- [frajo](#) - Aug 19, 2010
 - Rank: 5 / 5 (1)

While these results (and their generalized induction) are very interesting the anthropomorphizing use of the word "faithful" is unscientific.

The slogan "Sex, at least in evolutionary terms, is an antisocial force" ignores animals like the bonobos and the humans.

 - [report abuse](#)

Please [register](#) or [sign in](#) to add a comment. Registration is free, and takes less than a minute. [Read more](#)

Sign in with

Email

Password

Sign In

Forgot your password? [Click here](#) to reset it.

Notify me via email of follow-up comments posted here [sign in first](#)

- [print](#)
- [email](#)
- [pdf](#)
- [txt](#)
- [blog](#)
- [bookmark](#)
- [aA](#)
- [Aa](#)

August 19, 2010 [all stories](#)

Comments: [1](#)

- rank
- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

4.5 / 5 (2 votes)

-
-
-
-
-

-
-



- [hide](#)

- **Related Stories**

- [Mother's little helpers](#)

Aug 16, 2007 | not rated yet | 0

- [Study reveals why starling females cheat](#)

Jun 20, 2007 | not rated yet | 0

- [A helping hand from the grandparents](#)

Dec 21, 2007 | not rated yet | 0

- [Researcher finds Laysan albatross employs 'dual mommies'](#)

May 28, 2008 | not rated yet | 0

- [Australian frog species chooses not to put eggs in 1 basket](#)

Sep 18, 2008 | not rated yet | 0

- [hide](#)

- **Tags**


[offspring](#), [siblings](#), [bird species](#), [incubation](#), [sexual partners](#)

- [hide](#)
- [Feature stories](#)
- [Popular](#)
- [Spotlight](#)

- [Creating light sources for nanochips](#)

[Physics / Optics & Photonics](#)

1 hour ago | 5 / 5 (1) | 0 |



- [Could thermodynamic fluctuations have led to the origins of life?](#)

[Biology / Cell & Microbiology](#)

Aug 16, 2010 | 4.7 / 5 (26) | 9 |

- [Confining light for use in nanophotonic devices](#)

[Nanotechnology / Nanophysics](#)

Aug 15, 2010 | 4.3 / 5 (14) | 0 |

- [hide](#)

- **Relevant PhysicsForums posts**

- [Aware of evolution](#)

☞ Aug 23, 2010

- [Time a cell takes to circulate in the body?](#)

☞ Aug 20, 2010

- [bio project](#)

☞ Aug 20, 2010

- [Atp](#)

☞ Aug 19, 2010

- More from [Physics Forums - Biology](#)

Other News



[Sex more likely for female flies with promise of food](#)

[Biology / Plants & Animals](#)

1 hour ago | not rated yet | 0 |

(PhysOrg.com) -- Female fruit flies will have sex more frequently if they think there is more food around, and a new study led by Oxford University has explained how this happens.



[Controlling insects in stored grain](#)

[Biology / Ecology](#)

50 minutes ago | not rated yet | 0 |

(PhysOrg.com) -- Aeration -- blowing ambient air through grain storage bins -- has been used for

decades to maintain the quality of grain by keeping it cool, as well as to manage stored insect pests. But few ...

[Snow crabs found clustered around methane vents at bottom of Sea of Japan](#)

[Biology](#) / [Plants & Animals](#)

13 hours ago | 4.8 / 5 (4) | 2

Large clusters of a type of snow crab called benizuwaigani have been discovered around methane vents at the bottom of the Sea of Japan, but scientists are not quite sure why.

[Study shows carnivore species shrank during global warming event](#)

[Biology](#) / [Evolution](#)

21 hours ago | 4.2 / 5 (5) | 3 |

A new University of Florida study indicates extinct carnivorous mammals shrank in size during a global warming event that occurred 55 million years ago.



[Whale sharks may produce many litters from one mating, paternity test shows](#)

[Biology](#) / [Plants & Animals](#)

15 hours ago | 5 / 5 (2) | 1 |

How do female whale sharks meet their perfect mates and go on to produce offspring? While little is known about the reproductive behavior of these ocean-roaming giants, a newly published analysis led by University ...



[Measuring the universe](#)

[Space & Earth](#) / [Space Exploration](#)

23 minutes ago | not rated yet | 0

- [Creating light sources for nanochips](#)

[Physics](#) / [Optics & Photonics](#)

1 hour ago | 5 / 5 (1) | 0 |




[Thought-controlled computers on the way: Intel](#)



[Technology](#) / [Hi Tech & Innovation](#)

1 hour ago | 5 / 5 (3) | 1 |



• [Microbes survive a year and a half in space](#)

[Space & Earth](#) / [Space Exploration](#)

2 hours ago | 4.5 / 5 (2) | 0 |



• [Japan high-tech toilet makers flush with success](#)

[Technology](#) / [Hi Tech & Innovation](#)

3 hours ago | 3 / 5 (2) | 1 |



• [Researcher develops carbon dioxide-free method of producing iron](#)

[Chemistry](#) / [Other](#)

1 hour ago | not rated yet | 0 |



• [Smallest U-M logo demonstrates advanced display technology](#)

[Nanotechnology](#) / [Nanophysics](#)

16 hours ago | 5 / 5 (14) | 5 |



• [China's Alibaba buys US software developer Auctiva](#)

[Technology](#) / [Business](#)

3 hours ago | not rated yet | 0 |



• [Are shame and poverty closely linked?](#)

[Other Sciences](#) / [Social Sciences](#)

1 hour ago | 2 / 5 (1) | 0 |

• [Antimatter detector to catch last shuttle to space](#)

[Space & Earth](#) / [Space Exploration](#)

2 hours ago | 5 / 5 (1) | 0 |

PhysOrg Account

- [Register](#)
- [Sign In](#)
- [Newsletter](#)
- [Favorites](#)
- [Activity](#)
- [PM](#)

- [My News](#)
- [Feature Stories](#)
- [Weblog & Reports](#)
- [Archive](#)
- [Video](#)
- [Podcasts](#)
- [Free Magazines](#)
- [Free White Papers](#)

 [advanced search](#)





PhysOrg.com Mobile Apps




- [news feed by category](#)
- ▼ **Quick Navigation** ▼

- [Nanotechnology News](#)

[Bio & Medicine](#) - [Nanophysics](#) - [Nanomaterials](#)

- [Physics News](#)

[General Physics](#) - [Condensed Matter](#) - [Optics & Photonics](#) - [Superconductivity](#) - [Plasma Physics](#) - [Soft Matter](#) - [Quantum Physics](#)

- [Space & Earth News](#)

[Earth Sciences](#) - [Astronomy](#) - [Environment](#) - [Space Exploration](#)

- [Electronics News](#)

[Consumer & Gadgets](#) - [Hardware](#) - [Robotics](#)

- [Technology News](#)

[Internet](#) - [Software](#) - [Business](#) - [Engineering](#) - [Semiconductors](#) - [Other](#) - [Telecom](#) - [Energy](#) - [Computer Sciences](#) - [Hi Tech & Innovation](#)

- [Chemistry News](#)

[Biochemistry](#) - [Polymers](#) - [Analytical Chemistry](#) - [Materials Science](#) - [Other](#)

- [Biology News](#)

[Plants & Animals](#) - [Evolution](#) - [Ecology](#) - [Cell & Microbiology](#) - [Biotechnology](#) - [Other](#)

- [Medicine & Health News](#)

[Psychology & Psychiatry](#) - [Research](#) - [Medications](#) - [Cancer](#) - [Genetics](#) - [HIV & AIDS](#) - [Diseases](#) - [Other](#) - [Health](#) - [Neuroscience](#)

- [Other Sciences News](#)

[Mathematics](#) - [Archaeology & Fossils](#) - [Other](#) - [Social Sciences](#) - [Economics](#)

- [top](#)

- [Home](#)

- [Search](#)

- [Help](#)

- [What's new](#)

- [About us](#)

- [Contact / FAQ](#)

- [Partners](#)

- [PhysOrg Account](#)

- [Sponsored Account](#)

- [Newsletter](#)

- [RSS feeds](#)

- [iPhone iPad Apps](#)

- [Blackberry App](#)

- [Android App&Widget](#)

- [Amazon Kindle](#)

- [PDA version](#)

- [Feature Stories](#)

- [Weblog & Reports](#)

- [Podcasts](#)

- [Archive](#)
- [Facebook](#)
- [Twitter](#)

© PhysOrg.com 2003-2010 [Privacy Policy](#) | [Terms of Use](#)